




# SOUND ABSORPTION AREA FOR OBJECT

Measured and evaluated according to ISO 354 and ISO 20189

<b>Client:</b>	Götessons/ Gotessons		
<b>Object:</b>	ScreenIT AT40		
<b>Size [mm]:</b>	w = 1600	h = 650	d = 40

Octave band (Hz)	Equivalent sound absorption area / unit (m <sup>2</sup> Sabine)
63	0.1
125	0.2
250	0.5
500	1
1000	1.4
2000	2
4000	2.5
N <sub>10</sub> = 10	



<b>ORIGINAL TEST REPORT</b>	<b>DATE OF TEST</b>
SP report 5P08641-A/eng	2016-01-11

