




# SOUND ABSORPTION AREA FOR OBJECT

Measured and evaluated according to ISO 354 and ISO 20189

|                   |                   |         |        |
|-------------------|-------------------|---------|--------|
| <b>Client:</b>    | Abstracta         |         |        |
| <b>Object:</b>    | Softline 30 Table |         |        |
| <b>Size [mm]:</b> | w = 1400          | h = 650 | d = 30 |

| Octave band (Hz)             | Equivalent sound absorption area / unit (m <sup>2</sup> Sabine) |
|------------------------------|---|
| 63                           | 0.3   |
| 125                          | 0.4   |
| 250                          | 0.7   |
| 500                          | 0.9   |
| 1000                         | 1.1   |
| 2000                         | 1.2   |
| 4000                         | 1.3   |
| <b>N<sub>10</sub> = 11.1</b> |   |



| ORIGINAL TEST REPORTS            | DATE OF REPORT |
|----------------------------------|----------------|
| Akustikverkstan report 15-065-M2 | 2015-04-14     |
| Akustikverkstan report 15-065-M3 | 2015-04-10     |

The presented results are interpolated using the method described in ISO 20189 from the original test reports.

