




# SOUND ABSORPTION AREA FOR OBJECT

Measured and evaluated according to ISO 354 and ISO 20189

|                   |             |          |        |
|-------------------|-------------|----------|--------|
| <b>Client:</b>    | Abstracta   |          |        |
| <b>Object:</b>    | Scala Floor |          |        |
| <b>Size [mm]:</b> | w = 1207    | h = 1600 | d = 60 |

| Octave band (Hz)            | Equivalent sound absorption area / unit (m <sup>2</sup> Sabine) |
|-----------------------------|---|
| 63                          | 0.3   |
| 125                         | 0.5   |
| 250                         | 1.4   |
| 500                         | 2.1   |
| 1000                        | 2.9   |
| 2000                        | 3.4   |
| 4000                        | 3.8   |
| <b>N<sub>10</sub> = 4.8</b> |   |



|                             |                       |
|-----------------------------|-----------------------|
| <b>ORIGINAL TEST REPORT</b> | <b>DATE OF REPORT</b> |
| Akustikverkstan 17-094-M8   | 2017-05-19            |

