


SOUND ABSORPTION AREA FOR OBJECT

Measured and evaluated according to SS-EN ISO 354 and SS 25269

CLIENT: Kinnarps AB

OBJECT: Kinnarps PRIM office desk screen, 1200×660 mm². Absorptive area 0,79 m² on each side of screen.

1/3 octave band (Hz)	Equivalent sound absorption area / object (m ² Sabin)	
	1/3 octave band	Octave band
50	0,16	
63	0,11	0,1
80	0,12	
100	0,30	
125	0,42	0,4
160	0,50	
200	0,63	
250	0,86	0,9
315	1,01	
400	1,12	
500	1,29	1,3
630	1,41	
800	1,42	
1000	1,41	1,4
1250	1,45	
1600	1,45	
2000	1,51	1,5
2500	1,49	
3150	1,52	
4000	1,52	1,5
5000	1,51	



CONDITIONS

Date of test: 2014-03-07
Date: 2014-04-30

Object surface: 0,79 m²
Rev. room volume: 200 m³

Test report: 4P01287 (dated 19 March 2014, SP, Sweden)
Signature: Klas Hagberg